OIPE VENTA

Please type a plus sign (+) inside this box

PTO/SB/08A (08-00)

Approved for use through 10/31/2002. OMB 06S1-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no personal gravitational to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO

Sheet

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

	Complete if Known	
Application Number	10/647,438	
Filing Date	8/26/03	
First Named Inventor	TAS	
Group Art Unit	1755	
Examiner Name	Manlove, Shalie A.	
Attorney Docket Number	MAIKO-0037	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials *	Cite No.1	include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-Issue number(s), publisher, city and/or country where published.	Т2
AM		HUIPIN YUAN et al., "Tissue responses of calcium phosphate cement: a study in dogs", ELSEVIER Biomaterials 21 (2000) pgs. 1283-1290	
_			
$\rightarrow$			
		· · · · · · · · · · · · · · · · · · ·	
			<del></del>
			$\geq$

Examiner Date Considered 4 05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

<sup>1</sup> Unique cliation designation number. 2 Applicant is to place a check mark here if English language Translation is attached.